

Software - VISU+ 2 RT UNLIMITED WEB2 AD - 2701449

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Runtime license for Visu+ including the alarm dispatcher function and two web clients without limitation of the I/O data and variables in the scripting.

Your advantages

- Access protection with user management
- Fully scalable process diagrams for using one design on different devices and monitor sizes
- Multilingual software and projects, thanks to Unicode support and online selection
- Full SCADA (Supervisory Control And Data Acquisition) function with visualization, trend representation, and alarm management
- Data logging, trend display, and recipe management
- Scripts can be created in VBA and IL
- Control coupling with OPC



Key Commercial Data

| | |
|--------------|---------------|
| Packing unit | 1 pc |
| GTIN | |
| GTIN | 4046356753722 |

Technical data

Note

| | |
|-------------------------|---|
| Utilization restriction | EMC: class A product, see manufacturer's declaration in the download area |
|-------------------------|---|

License information

| | |
|-------------------------------|-----------------|
| Intended use for the software | Visualization |
| Type of license | Runtime license |

Functions

| | |
|-----------------|--|
| Basic functions | Know-How protection and safety through encoding of projects |
| | Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server |

Software - VISU+ 2 RT UNLIMITED WEB2 AD - 2701449

Technical data

Functions

| | |
|------------------------|---|
| | FDA CFR 21 Part 11 compatible |
| Expanded functionality | Web client capability |
| | Advanced alarm management with SMS, FAX, e-mail and voice mail function |
| Integrated function | Web client |
| | Alarm management |
| | Online configuration |
| | Password protection |
| | Language selection |
| Number of I/O nodes | Unlimited I/O bytes |

Hardware requirements

| | |
|-------------------|---|
| Hard disk | min. 1 GByte (recommended: 2 GB) |
| RAM | min. 1 GByte (2 GB for Windows Vista and Windows 7) |
| CPU | Pentium/Celeron, 1.6 GHz |
| Optical drive | DVD-ROM |
| Screen resolution | rec. 1024 pixel(s) x 768 pixel(s) (XGA) |

Software requirements

| | |
|---------------------|----------------------------------|
| Languages supported | German, English, French, Italian |
| Supported browsers | Internet Explorer 5.5 or higher |

Development environment requirements

| | |
|---------------------------------|--|
| Operating equipment | Keyboard, mouse |
| Operating system | Windows® 10 |
| | Windows® 8.1 |
| | Windows® 8 |
| | Windows® 7 |
| | Windows® Embedded Standard 7 |
| | Windows® Server 2019 |
| | Windows® Server 2016 |
| | Windows® Server 2012 R2 |
| | Windows® Server 2012 |
| | Windows® Server 2008 R2 |
| | Windows® Server 2008 |
| | Windows® Server 2003 |
| Note about the operating system | Server Core installations are not supported. |

Runtime environment requirements

| | |
|------------------|--------------|
| Operating system | Windows® 10 |
| | Windows® 8.1 |

Software - VISU+ 2 RT UNLIMITED WEB2 AD - 2701449

Technical data

Runtime environment requirements

| | |
|--|------------------------------|
| | Windows® 8 |
| | Windows® 7 |
| | Windows® Embedded Standard 7 |
| | Windows® XP Embedded |
| | Windows® Server 2019 |
| | Windows® Server 2016 |
| | Windows® Server 2012 R2 |
| | Windows® Server 2012 |
| | Windows® Server 2008 R2 |
| | Windows® Server 2008 |
| | Windows® Server 2003 |
| | Windows® CE 5.0 |
| | Windows® CE 6.0 |
| | Windows® Mobile |

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27242502 |
| eCl@ss 11.0 | 27242502 |
| eCl@ss 4.0 | 27338000 |
| eCl@ss 4.1 | 27338000 |
| eCl@ss 5.0 | 27242500 |
| eCl@ss 5.1 | 27242500 |
| eCl@ss 6.0 | 27242500 |
| eCl@ss 7.0 | 27242502 |
| eCl@ss 9.0 | 27242502 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC001416 |
| ETIM 3.0 | EC001416 |
| ETIM 4.0 | EC001416 |
| ETIM 6.0 | EC001416 |
| ETIM 7.0 | EC001416 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 43163005 |
| UNSPSC 7.0901 | 43232404 |
| UNSPSC 11 | 43163005 |

Software - VISU+ 2 RT UNLIMITED WEB2 AD - 2701449

Classifications

UNSPSC

| | |
|--------------|----------|
| UNSPSC 12.01 | 43232404 |
| UNSPSC 13.2 | 43231507 |
| UNSPSC 18.0 | 43231507 |
| UNSPSC 19.0 | 43231507 |
| UNSPSC 20.0 | 43231507 |
| UNSPSC 21.0 | 43231507 |

Phoenix Contact 2021 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>