


www.wago.com/2759-247/210-1000



Item description

Function:

MQTT is a powerful MQTT protocol that has become standard in many industrial automation applications. WAGO's PFC200 Controller (2nd generation) supports the MQTT protocol and the Sparkplug specification that defines both topic and payload, allowing the controller to exchange data directly with Sparkplug-enabled systems (e.g., SCADA). This requires a license for the controller.

Configuration is performed via the controller's Web-Based Management and the variables to be transmitted or received are defined by the *e! COCKPIT* Engineering Software and its library.

Advantages:

- The PFC200 communicates directly with Sparkplug-enabled systems (e.g., SCADA) without requiring any additional gateway.
- Enter the license into e!COCKPIT, assign it to a controller and load both the license and project into the controller. No other installation steps are required.

Technical Data:

- Sparkplug B payload
- Publish data
- Subscribe to data

Compatible Controllers: 750-8212; PFC200; G2; 2ETH RS

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.



750-8213; PFC200; G2; 2ETH CAN 750-8214; PFC200; G2; 2ETH RS CAN 750-8215; PFC200; G2; 4ETH CAN USB 750-8216; PFC200; G2; 2ETH RS CAN DPS

Besides the basic controller variants listed here, the license can also be used on these controllers' variants. For details, see the product information of the corresponding controller.

For detailed information on the controllers, go to: www.wago.com/itemnumbers

Other required software	e!COCKPIT version: V1.5.0
Software data	
Supported devices	750-8212: PFC200; G2; 2ETH RS
	750-8213: PFC200; G2; 2ETH CAN
	750-8214: PFC200; G2; 2ETH RS CAN
	750-8215: PFC200; G2; 4ETH CAN USB
	750-8216: PFC200; G2; 2ETH RS CAN DPS
	Besides the basic controller variants listed here, the license can also
	be used on these controllers' variants. For details, see the product
	information of the corresponding controller. For detailed
	information on the controllers, go to: www.wago.com/itemnumbers

Delivery type	License certificate via email (<i>e!COCKPIT</i> already contains the software itself)
License type (note)	The single license allows installation on one controller. One license per controller is required.
Note on license type (2)	A PC with both Internet connection and <i>e!COCKPIT</i> may be required
	for license activation.

Commercial data

PU (SPU)	1 Stück
Country of origin	QU
GTIN	4055143846776
Customs tariff number	8888888888

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.



Downloads Documentation			
Bid Text			
2759-247/210-1000	May 21, 2019	xml	Download
X81 - Datei		5.9 kB	
2759-247/210-1000	May 21, 2019	docx	Download
docx - Datei		17.8 kB	
System Description			
Software – General Product Information		pdf 485.7 kB	Download
Environmental Product Compliance			
Compliance Search			
Environmental Product Compliance 2759-247/210-1000		URL	Download
e!RUNTIME; Sparkplug; Single License			

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.